

Package: gkgraphR (via r-universe)

August 27, 2024

Title Accessing the Official 'Google Knowledge Graph' API

Version 1.0.2

Date 2021-03-01

Description A simple way to interact with and extract data from the official 'Google Knowledge Graph' API
<<https://developers.google.com/knowledge-graph/>>.

Language en-US

URL <https://github.com/racorreia/gkgraphR>

BugReports <https://github.com/racorreia/gkgraphR/issues>

Depends R (>= 3.4.0)

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.1.1

Imports jsonlite(>= 1.5), httr(>= 1.4.1), ISOcodes(>= 2020.03.16)

Suggests knitr, rmarkdown, qpdf

VignetteBuilder knitr

Repository <https://racorreia.r-universe.dev>

RemoteUrl <https://github.com/racorreia/gkgraphr>

RemoteRef HEAD

RemoteSha bee4c7e0ac228af5559f25f79b2337bac7d42992

Contents

querygkg	2
Index	4

`querygkg`*Performs a query on the Google Knowledge Graph API*

Description

Performs a query on the Google Knowledge Graph API

Usage

```
querygkg(  
  query = NULL,  
  ids = NULL,  
  lang = NULL,  
  types = NULL,  
  indent = NULL,  
  prefix = NULL,  
  limit = NULL,  
  json = FALSE,  
  itemList = TRUE,  
  cleanIDs = TRUE,  
  api.key  
)
```

Arguments

<code>query</code>	A character string to search for in Google Knowledge Graph.
<code>ids</code>	A list of one or more entity IDs to search for in Google Knowledge Graph. Should be a Google Knowledge Graph or Freebase ID code in character string format.
<code>lang</code>	A character argument defining the language filter. The list of language codes (defined in ISO 639) to run the query with, for instance 'en'. Defaults to NULL.
<code>types</code>	A character argument restricting returned entities to those of the specified types. See schema.org for valid types (e.g. 'Person' as defined in http://schema.org/Person restricts the results to entities representing people). If multiple types are specified, returned entities will contain one or more of these types. Defaults to NULL.
<code>indent</code>	A logical argument enabling indenting of JSON results. Defaults to NULL.
<code>prefix</code>	A logical argument enabling prefix (initial substring) matching against names and aliases of entities. For example, a prefix 'Jung' will match entities and aliases such as 'Jung', 'Jungle', and 'Jung-ho Kang'. Defaults to NULL.
<code>limit</code>	A numeric value limiting the number of entities to be returned. Maximum is 500. Defaults to 20. Please note that requests with high limits have a higher chance of timing out.
<code>json</code>	A logical argument defining whether the API query should be returned in the original JSON format or as an R object. Defaults to FALSE.

<code>itemList</code>	Should the query contain only the Google Knowledge Graph item list returned by the query? Defaults to TRUE. Only valid when returning R objects (i.e. <code>parameter json = FALSE</code>).
<code>cleanIDs</code>	If the output is an item list, should it return clean IDs? Defaults to TRUE. Only valid when returning an item list (i.e. <code>parameter json = FALSE</code> and <code>parameter itemList = TRUE</code>).
<code>api.key</code>	A Google API key.

Value

Returns the Google Knowledge Graph output.

Examples

```
## Not run:  
# Note: Function querygkg requires a valid Google API key to work  
  
# Run a text-based query for the term "apple"  
querygkg(query = "apple", api.key = "YOUR_API_KEY")  
  
# Run an ID-based query for the entity "apple" representing the fruit  
querygkg(ids = "/m/014j1m", api.key = "YOUR_API_KEY")  
  
# Run an ID-based query and get the original JSON object returned by the API  
querygkg(ids = "/m/014j1m", json = TRUE, api.key = "YOUR_API_KEY")  
  
## End(Not run)
```

Index

querygk, [2](#)